

# 余沛慈

## 著作目錄

### 期刊論文

1. Pei-Ting Tsai, Ming-Chin Li, Yi-Chun Lai, Wei-Hsuan Tseng, Chih-I Wu, Si-Han Chen, Yi-Cheng Lin, Yu-Cheng Chen, Rui-Chung Hsiao, Sheng-Fu Horng, Peichen Yu, Hsin-Fei Meng (2016, Jul). Solution p-doped fluorescent polymers for enhanced charge transport of hybrid organic-silicon nanowire photovoltaics. *Organic Electronics*, 34, 246–253. 本人為通訊作者.
2. Chi-Hsien Huang, Shu-Chen Yu, Yi-Chun Lai, Gou-Chung Chi, Peichen Yu (2016, Mar). Efficiency Enhancement of Organic/GaAs Hybrid Photovoltaic Cells Using Transparent Graphene as Front Electrode. *IEEE JOURNAL OF PHOTOVOLTAICS*, 6, 480-485. 本人為通訊作者.
3. Yan Kai Zhong, Yi-Chun Lai, Ming-Hsiang Tu, Bo-Ruei Chen, Sze Ming Fu, Peichen Yu, and Albert Lin (2016, Feb). Omnidirectional, polarization-independent, ultra-broadband metamaterial perfect absorber using field-penetration and reflected-wavecancellation . *OPTICS EXPRESS*, 24, 832-845.
4. Yi-Chun Lai, Yu-Fan Chang, Pei-Ting Tsai, Jan-kai Chang, Wei-Hsuan Tseng, Yi-Cheng Lin, Chu-Yen Hsiao, Hsiao-Wen Zan, Chih-I Wu, Gou-Chung Chi, Hsin-Fei Meng, and Peichen Yu (2016, Jan). Rear interface engineering of hybrid organicsilicon nanowire solar cells via blade coating . *OPTICS EXPRESS*, 24, 414-423. 本人為通訊作者.
5. Yu-Lin Tsai, Che-Yu Liu, Chirenjeevi Krishnan, Da-Wei Lin, You-Chen Chu, Tzu-Pei Chen, Tien-Lin Shen, Tsung-Sheng Kao, Martin D. B. Charlton, Peichen Yu, Chien-Chung Lin, Hao-Chung Kuo and Jr-Hau He (2015, Nov). Bridging the “green gap” of LEDs: giant light output enhancement and directional control of LEDs via embedded nano-void photonic crystals. *Nanoscale*, 8, 1192-1199.
6. Chen-Hsun Du, Chien-Hsun Chena, Teng-Yu Wang, Jui-Chung Hsiao,c,Chun-Ming Yeh, Chun-Heng Chen, J. Andrew Yeh and Peichen Yu (2015, Jun). Fabricating 43- $\mu\text{m}$ -Thick and 12% Efficient Heterojunction Silicon Solar Cells by Using Kerfless Si(111) Substrates. *ECS Journal of Solid State Science and Technology*, 4, 319-323.
7. Kuo-Ju Chen, Yi-Chun Lai, Bin-Cheng Lin, Chien-Chung Lin, Sheng-Huan Chiu, Zong-Yi Tu, Min-Hsiung Shih, Peichen Yu, Po-Tsung Lee, Xiuling Li, Hsin-Fei Meng, Gou-Chung Chi, Teng-Ming Chen, and Hao-Chung Kuo (2015,

- Apr). Efficient hybrid white light-emitting diodes by organic-inorganic materials at different CCT from 3000K to 9000K. *Optics Express*, 23, 204-210.
- 8. Sze Ming Fu, Yi-Chun Lai, Chi Wei Tseng, Sheng Lun Yan, Yan Kai Zhong, Chang-Hong Shen, Jia-Min Shieh, Yu-Ren Li, Huang-Chung Cheng, Gou-chung Chi, Peichen Yu, and Albert Lin (2015, Feb). Approaching conversion limit with all-dielectric solar cell reflectors . *OPTICS EXPRESS*, 23, 106-117.
  - 9. Maël Brossard, Chung-Yu Hong, Mumin Hung, Peichen Yu, Martin D. B. Charlton, Pavlos G. Savvidis, and Pavlos G. Lagoudakis (2015, Jan). Novel Non-radiative Exciton Harvesting Scheme Yields a 15% Efficiency Improvement in High-Efficiency III-V Solar Cells. *Advanced Optical Materials*, 3, 263-269.
  - 10. Yang-Yang Hsu, Chi-Yuan Lin, Yi-Chun Lai, Kun-Rui Wu, Kwai-Kong Ng, Chen-Shiung Chang, Gou Chung Chi, Pei-Chen Yu, and Forest Shih-Sen Chien (2015, Jan). Optical-power-dependent photodesorption kinetics of graphene studied by conductance response . *OPTICS EXPRESS*, 23, 14344-14350.
  - 11. Hung-Chuan Liu, Yi-Chun Lai, Chih-Chung Lai, Bing-Shu Wu, Hsiao-Wen Zan, Peichen Yu, Yu-Lun Chueh, and Chuang-Chuang Tsai (2014, Dec). Highly Effective Field-Effect Mobility Amorphous InGaZnO TFT Mediated by Directional Silver Nanowire Arrays. *ACS Applied Materials & Interfaces*, 7, 232-240. 本人為通訊作者.
  - 12. Ting-Gang Chen, Peichen Yu, Shih-Wei Chen, Feng-Yu Chang, Bo-Yu Huang, Yu-Chih Cheng, Jui-Chung Hsiao, Chi-Kang Li and Yuh-Renn Wu (2014, Oct). Characteristics of large-scale nanohole arrays for thin-silicon photovoltaics. *PROGRESS IN PHOTOVOLTAICS: RESEARCH AND APPLICATIONS*, 22, 452–461. 本人為通訊作者.
  - 13. Ming-Yen Chuang, Hsiao-Wen Zan, Peichen Yu, Yi-Chun Lai, Hsin-Fei Meng (2014, Aug). Gas permeable silver nanowire electrode for realizing vertical type sensitive gas sensor. *Organic Electronics*, 15, 2769-2774. 本人為通訊作者.
  - 14. Cho-Yun Yang, Yu-Lin Tsai, Cho-Yu Yang, Cheng-Kuo Sung, Peichen Yu, and Hao-Chung Kuo (2014, Jul). Superhydrophobic, antiadhesive, and antireflective surfaces mediated by hybrid biomimetic salvinia leaf with moth-eye structures. *Applied Physics Express*, 7, 087001.
  - 15. Hau-Vei Han, Chien-Chung Lin, Yu-Lin Tsai, Hsin-Chu Chen, Kuo-Ju Chen, Yun-Ling Yeh, Wen-Yi Lin, Hao-Chung Kuo and Peichen Yu (2014, Jul). A Highly Efficient Hybrid GaAs Solar Cell Based on Colloidal-Quantum-Dot-Sensitization. *SCIENTIFIC REPORTS*, 4, 5734.
  - 16. Chan-Shan Yang, Tsung-Ta Tang, Po-Han Chen, Ru-Pin Pan, Peichen Yu, and Ci-Ling Pan (2014, Apr). Voltage-controlled liquid-crystal terahertz phase shifter with indium-tin-oxide nanowhiskers as transparent electrodes. *OPTICS*

*LETTERS*, 8, 2511-2513.

17. Chan-Shan Yang, Tsung-Ta Tang, Ru-Pin Pan, Peichen Yu, and Ci-Ling Pan (2014, Apr). Liquid crystal terahertz phase shifters with functional indium-tin-oxide nanostructures for biasing and alignment. *APPLIED PHYSICS LETTERS*, 104, 141106.
18. Pei-Ting Tsai, Chia-Ying Tsai, Chun-Ming Wang, Yu-Fan Chang, Hsin-Fei Meng, Zhi-Kuan Chen, Hao-Wu Lin, Hsiao-Wen Zan, Sheng-Fu Horng, Yi-Chun Lai, Peichen Yu (2014, Apr). High-efficiency polymer solar cells by blade coating in chlorine-free solvents. *Organic Electronics*, 15, 893-903.
19. Chen-Chen Chung, Binh Tinh Tran, Hau-Vei Han, Yen-Teng Ho, Hung-Wei Yu, Kung-Liang Lin, Hong-Quan Nguyen, Peichen Yu, Hao-Chung Kuo, Edward Yi Chang (2014, Mar). The effect of CdS QDs structure on the InGaP/GaAs/Ge triple junction solar cell efficiency. *Electronic Materials Letters*, 10, 457-460.
20. Mu-Min Hung, Hau-Vei Han, Chung-Yu Hong, Kuo-Hsuan Hong, Tung-Ting Yang, Peichen Yu, Yu-Rue Wu, Hong-Yih Yeh, and Hong-Cheng Huang, (2014, Mar). Compound biomimetic structures for efficiency enhancement of Ga<sub>0.5</sub>In<sub>0.5</sub>P/GaAs/Ge triple-junction solar cells. *OPTICS EXPRESS*, 22, 295. 本人為通訊作者.
21. Wei-Chih Lai, Chih-Nan Lin, Yi-Chun Lai, Peichen Yu, Gou Chung Chi, and Shou-Jinn Chang (2014, Mar). GaN-based light-emitting diodes with graphene/indium tin oxide transparent layer. *OPTICS EXPRESS*, 22, 396-401.
22. Shou-Yi Kuo, Ming-Yang Hsieh, Hau-Vei Han, Fang-I Lai, Tsung-Yeh Chuang, Peichen Yu, Chien-Chung Lin, and Hao-Chung Kuo (2014, Feb). Flexible-textured polydimethylsiloxane antireflection structure for enhancing omnidirectional photovoltaic performance of Cu(In,Ga)Se<sub>2</sub> solar cells. *OPTICS EXPRESS*, 22, 2860-2867 .
23. Min-Hsiang Hsu, Po-Han Chen, Peichen Yu, Jen-Hsien Huang, Chia-Hua Chang, Yu-Chih Cheng, Chih-Wei Chu (2013, Nov). Ubiquitous carrier harvesting in organic solar cells with embedded indium-tin-oxide nano-electrodes. *Solar Energy Materials and Solar Cells*, 118, 102–108. 本人為通訊作者.
24. Peichen Yu,, Chia-Ying Tsai,, Jan-Kai Chang,, Chih-Chung Lai,, Po-Han Chen,, Yi-Chun Lai,, Pei-Ting Tsai,, Ming-Chin Li,, Huai-Te Pan,, Yang-Yue Huang,, Chih-I Wu,, Yu-Lun Chueh,, Shih-Wei Chen,, Chen-Hsun Du,, Sheng-Fu Horng,, Hsin-Fei Meng (2013, Nov). 13% Efficiency Hybrid Organic/Silicon-Nanowire Heterojunction Solar Cell via Interface Engineering. *ACS Nano*, 7, 10780–10787 . 本人為第一作者、通訊作者.
25. K. J. Chen , H. V. Han , B. C. Lin , H. C. Chen , M. H. Shih , S. H. Chien , K. Y. Wang ,H. H. Tsai , P. Yu , P. T. Lee , C. C. Lin , H. C. Kuo (2013, Oct).

- Improving the Angular Color Uniformity of Hybrid Phosphor Structures in White Light-Emitting Diodes. *Electron Device Letters*, Volume.34 Issue.10.
- 26. Yu-Lin Tsai, Chien-Chung Lin, , Hau-Vei Han, Chun-Kai Chang, Hsin-Chu Chen, Kuo-Ju Chen, Wei-Chi Lai, Jin-Kong Sheu, Fang-I Lai, Peichen Yu, Hao-Chung Kuo (2013, Oct). Improving efficiency of InGaN/GaN multiple quantum well solar cells using CdS quantum dots and distributed Bragg reflectors. *Solar Energy Materials and Solar* , 117, 531–536.
  - 27. J. C. Hsiao, C. H. Chen, H. J. Yang, C. L. Wu, C. M. Fan, C.F. Huang, C.C. Lin, P. Yu, J. C. Hwang (2013, Sep). Highly textured ZnO:B films grown by low pressure chemical vapor deposition for efficiency enhancement of heterojunction silicon-based solar cells. *Journal of the Taiwan Institute of Chemical Engineers*, Volume 44, Issue 5, Pages 758–761.
  - 28. C. S. Yang, M. H. Lin , C. H. Chang , P. Yu , J.M. Shieh , C. H. Shen , O. Wada, C. L. Pan (2013, Aug). Non-Drude Behavior in Indium-Tin-Oxide Nanowiskers and Thin Films Investigated by Transmission and Reflection THz Time-Domain Spectroscopy. *Quantum Electronics, IEEE*, Volume49 , Issue 8.
  - 29. W. H. Huang, J. M. Shieh, F. M. Pan, C. H. Shen,J. Y. Huang, T. T. Wu, M. H. Kao, T. H. Hsiao,P. Yu, H.C. Kuo and C. T. Lee (2013, Aug). Multi-functional stacked light-trapping structure for stabilizing and boosting solar-electricity efficiency of hydrogenated amorphous silicon solar cells. *Applied Physics Letters*, Volume 103, Issue 7.
  - 30. C. S. Yang, C. M. Chang, P. H. Chen, P. Yu, and C. L. Pan (2013, Jul). Broadband terahertz conductivity and optical transmission of indium-tin-oxide (ITO) nanomaterials. *Optics Express*, ol. 21, Issue 14, pp. 16670-16682.
  - 31. J. C. Yu, P. Yu, H. Y. Chao (2013, Jul). Library-Based Illumination Synthesis for Critical CMOS Patterning. *IEEE TRANSACTIONS ON IMAGE PROCESSING*, vol. 22, No. 7. 本人為通訊作者.
  - 32. T.G. Chen, B.Y. Huang, H.W. Liu, Y.Y. Huang, H.T. Pan, H.F. Meng, and P. Yu\* (2012, Nov). Flexible Silver Nanowire Meshes for High-Efficiency Microtextured Organic-Silicon Hybrid Photovoltaics. *ACS Applied Materials & Interfaces*. 本人為通訊作者.
  - 33. T.G. Chen, P. Yu\*, S.W. Chen, F.Y. Chang, B.Y. Huang, Y.C. Cheng, J.C. Hsiao, C.K. Li, and Y.R. Wu (2012, Oct). Characteristics of large-scale nanohole arrays for thin-silicon photovoltaics. *Progress in Photovoltaics: Research and Applications*. 本人為通訊作者.
  - 34. H.C. Chen, C.C. Lin, H.V. Han , K.J. Chen , Y.L. Tsai , Y.A. Chang, M.H. Shih, H.C. Kuo , P. Yu (2012, Sep). Enhancement of power conversion efficiency in GaAs solar cells with dual-layer quantum dots using flexible PDMS film. *Solar*

*Energy Materials & Solar Cells.*

35. P. Yu\*, M.Y. Chiu, C.H. Chang, C.Y. Hong, Y.L. Tsai, H.V. Han, and Y.R. Wu (2012, Aug). Towards high-efficiency multi-junction solar cells with biologically inspired Nanosurfaces. *Progress in Photovoltaics: Research and Applications*. 本人為第一作者、通訊作者.
36. C.S. Yang, C.H. Chang, M.H. Lin, P. Yu , O. Wada, C.L. Pan (2012, Jul). THz conductivities of indium-tin-oxide nanowiskers as a graded-refractive-index structure. *Optics Express*, Vol.20 pp. A412-A417.
37. T. G. Chen, B. Y. Huang , E. C. Chen, P. Yu\*, H. F. Meng\* (2012, Jul). Micro-textured conductive polymer/silicon heterojunction photovoltaic devices with high efficiency. *Applied Physics Letters*. 本人為通訊作者.
38. T.G. Chen, P. Yu\* , Y.L. Tsai, C.H. Shen, J.M. Shieh, M.A. Tsai, H.C. Kuo (2012, May). Nano-patterned glass superstrates with different aspect ratios for enhanced light harvesting in a-Si:H thin film solar cells. *Optics Express*, Vol.20 pp. A412-A417. 本人為通訊作者.
39. C.C. Lin, H.C. Chen , Y.L. Tsai, H.V. Han, H.S. Shih, Y.A. Chang, H.C. Kuo, P. Yu (2012, Mar). Highly efficient CdS-quantum-dot-sensitized GaAs solar cells. *Optics Express*, vol.20 pp. A319-A326.
40. J.C. Yu , P. Yu\*, H.Y. Chao (2012, Mar). Fast source optimization involving quadratic line-contour objectives for the resist image. *Optics Express*, vol.20 pp. 8161-8174. 本人為通訊作者.
41. J.H. Huang, M.H. Hsu, Y.S. Hsiao, P.L. Chen, P. Yu , C.W. Chu (2012, Mar). Performance of chromophore-type electrochromic devices employing indium tin oxide nanorod optical amplification. *Solar Energy Materials & Solar Cells*, vol.98 pp. 191-197.
42. P.C. Tseng, M.A. Tsai , P. Yu\*, H.C. Kuo (2012, Mar). Antireflection and light trapping of subwavelength surface structures formed by colloidal lithography on thin film solar cells. *Progress in Photovoltaics: Research and Applications*, vol. 20 pp. 135-142. 本人為通訊作者.
43. C.H. Chiu, C.C. Lin, H.V. Han, C.Y. Liu, Y.H. Chen, Y.P. Lan, P. Yu , H.C. Kuo, T.C. Lu,S.C. Wang, C.Y. Chang (2012, Feb). High efficiency GaN-based light-emitting diodes with embedded air voids/SiO<sub>2</sub> nanomasks. *Nanotechnology*, vol. 23 045303.
44. J.C. Yu, P. Yu\* and H.Y. Chao (2011, Dec). Wavefront-based pixel inversion algorithm for generation of subresolution assist features. *Journal of Micro/Nanolithography, MEMS, and MOEMS*, vol. 10, 043014. 本人為通訊作者.
45. H. C. Chen, C. C. Lin, H. W. Han, Y. L. Tsai, C. H. Chang, H. W. Wang, M. A.

- Tsai, H. C. Kuo, P. Yu (2011, Sep). Enhanced efficiency for c-Si solar cell with nanopillar array via quantum dots layers. *Optics Express*, Vol. 19, A1141-A1147.
46. H. W. Wang, H. C. Chen, Y. A. Chang, C. C. Lin, H. W. Han, M. A. Tsai, H. C. Kuo, P. Yu, and S. H. Lin (2011, Sep). Conversion Efficiency Enhancement of GaN/In(0.11)Ga(0.89)N Solar Cells With Nano Patterned Sapphire and Biomimetic Surface Antireflection Process. *IEEE Photonics Technology Letters*, vol. 23, 1304-1306.
47. P.C. Tseng, P. Yu\*, H.C. Chen, Y.L. Tsai, H.W. Han, M.A. Tsai, C.H. Chang, and H.C. Kuo (2011, Sep). Angle-resolved characteristics of silicon photovoltaics with passivated conical-frustum nanostructures. *Solar Energy Materials & Solar Cells*, vol. 95, 2610-2615. 本人為通訊作者.
48. J.C. Hsiao, C.H. Chen, C.C. Lin, D.C. Wu, and P. Yu\* (2011, Jul). Effect of Hydrogen Dilution on the Intrinsic a-Si:H Film of the Heterojunction Silicon-Based Solar Cell. *Journal of The Electrochemical Society (JES)*, vol. 158 pp. H876-H878. 本人為通訊作者.
49. H. C. Chen, C. C. Lin, H. W. Wang, M. A. Tsai, P. C. Tseng, Y. L. Tsai, H. W. Han, Z. Y. Li, Y. A. Chang, H. C. Kuo, P. Yu, and S. H. Lin (2011, Jun). Efficiency Enhancement in Single-Junction InGaP Solar cells by Using Self-Assembled Nanospheres. *IEEE Photonics Technology Letters*, vol. 23, 691-693.
50. M.A. Tsai, H.W. Han, Y.L. Tsai, P.C. Tseng, P. Yu\*, H.C. Kuo, C.H. Shen, J.M. Shieh, and S.H. Lin (2011, Jun). Embedded biomimetic nanostructures for enhanced optical absorption in thin-film solar cells. *Optics Express*, vol.19, A757-A762. 本人為通訊作者.
51. M. A. Tsai, H. W. Wang, P. Yu, H. C. Kuo, and S.H. Lin (2011, May). High Extraction Efficiency of GaN-Based Vertical-Injection Light-Emitting Diodes Using Distinctive Indium-Tin-Oxide Nanorod by Glancing-Angle Deposition. *Japanese Journal of Applied Physics*, vol. 50, art 052102.
52. P.C. Tseng, M.H. Hsu, M.A. Tsai, C.W. Chu, H.C. Kuo, and P. Yu\* (2011, Apr). Enhanced Omnidirectional Photon Coupling via Quasi-Periodic Patterning of Indium-Tin-Oxide for Organic Thin-Film Solar Cells Organic Electronics. *Organic Electronics*, vol. 12, 886-890. 本人為通訊作者.
53. C.H. Chang, P. Yu\*, M.H. Hsu, P.C. Tseng, W.L. Chang, W.C. Sun, W.C. Hsu (2011, Mar). Enhanced Angular Characteristics of Indium Tin Oxide Nanowhisker-Coated Silicon Solar Cells. *Optics Express*, vol. 19, A219-A224. 本人為通訊作者.
54. C.H. Chang, P. Yu\*, M.H. Hsu, P.C. Tseng, W.L. Chang, W.C. Sun, W.C. Hsu, S.H. Hsu and Y.C. Chang (2011, Mar). Combined micro- and nano-scale surface textures for enhanced near-infrared light harvesting in silicon photovoltaics.

- Nanotechnology*, vol. 22 095201. 本人為通訊作者.
- 55. M.H. Hsu, P. Yu\*, J.H. Huang, C.H. Chang, C.W. Wu, Y.C. Cheng, and C.W. Chu (2011, Feb). Balanced carrier transport in organic solar cells employing embedded indium-tin-oxide nanoelectrodes. *Applied Physics Letters*, vol. 98, pp 073308. 本人為通訊作者.
  - 56. M. A. Tsai, P. C. Tseng, H. C. Chen, H. C. Kuo, and P. Yu\* (2011, Jan). Enhanced conversion efficiency of a crystalline silicon solar cell with frustum nanorod arrays. *Optics Express*, vol. 19 pp.A28-A34. 本人為通訊作者.