

郭浩中

著作目錄

期刊論文

1. Shih-Chen Chen, Yi-Ju Chen, Wei Ting Chen, Yu-Ting Yen, Tsung Sheng Kao, Tsung-Yeh Chuang, Yu-Kuang Liao, Kaung-Hsiung Wu, Atsushi Yabushita, Tung-Po Hsieh, Martin D. B. Charlton, Din Ping Tsai, Hao-Chung Kuo, Yu-Lun Chueh (2014, Aug). Toward Omnidirectional Light Absorption by Plasmonic Effect for High-Efficiency Flexible Nonvacuum Cu(In,Ga)Se₂ Thin Film Solar Cells. *ACS Nano*. 本人為通訊作者.
2. Hau-Vei Han, Chien-Chung Lin, Yu-Lin Tsai, Hsin-Chu Chen, Kuo-Ju Chen, Yun-Ling Yeh, Wen-Yi Lin, Hao-Chung Kuo, Peichen Yu (2014, Jul). A Highly Efficient Hybrid GaAs Solar Cell Based on Colloidal-Quantum-Dot-Sensitization. *SCIENTIFIC REPORTS*. 本人為通訊作者.
3. Yang, W., Li, J., Zhang, Y., Huang, P.-K., Lu, T.-C., Kuo, H.-C., Li, S., Yang, X., Chen, H., and Liu, D. (2014, Jun). High density GaN/AlN quantum dots for deep UV LED with high quantum efficiency and temperature stability. *Scientific Reports*, 4 : 5166, pp. 1-5.
4. Chung, C.-C., Tran, B.T., Han, H.-V., Ho, Y.-T., Yu, H.-W., Lin, K.-L., Nguyen, H.-Q., Yu, P., Kuo, H.-C., and Chang, E.Y. (2014, Mar). The effect of CdS QDs structure on the InGaP/GaAs/Ge triple junction solar cell efficiency. *Electronic Materials Letters*, 10, (2), pp. 457-460.
5. Lee, C.-Y., Lan, Y.-P., Tu, P.-M., Hsu, S.-C., Lin, C.-C., Kuo, H.-C., Chi, G.-C., and Chang, C.-Y. (2014, Mar). Natural substrate lift-off technique for vertical light-emitting diodes. *Applied Physics Express*, 7, (4), pp. 042103.
6. Chen, K.-J., Han, H.-V., Chen, H.-C., Lin, C.-C., Chien, S.-H., Huang, C.-C., Chen, T.-M., Shih, M.-H., and Kuo, H.-C. (2014, Feb). White light emitting diodes with enhanced CCT uniformity and luminous flux using ZrO₂ nanoparticles. *Nanoscale*, 6, (10), pp. 5378-5383. 本人為通訊作者.
7. Li, Z.-Y., Lee, C.-Y., Lin, D.-W., Lin, B.-C., Shen, K.-C., Chiu, C.-H., Tu, P.-M., Kuo, H.-C., Uen, W.-Y., and Horng, R.-H. (2014, Feb). High-Efficiency and Crack-Free InGaN-Based LEDs on a 6-inch Si (111) Substrate With a Composite Buffer Layer Structure and Quaternary Superlattices Electron-Blocking Layers. *IEEE Journal of Quantum Electronics*, 50, pp. 354-363. 本人為通訊作者.
8. Lin, C.-C., Han, H.-V., Chen, H.-C., Chen, K.-J., Tsai, Y.-L., Lin, W.-Y., Kuo, H.-

- C., and Yu, P. (2014, Feb). Highly Efficient Multiple-Layer CdS Quantum Dot Sensitized III–V Solar Cells. *Journal of nanoscience and nanotechnology*, 14, (2), pp. 1051-1063. 本人為通訊作者.
9. Liu, C.-Y., Chen, K.-J., Lin, D.-W., Lee, C.-Y., Lin, C.-C., Chien, S.-H., Shih, M.-H., Chi, G.-C., Chang, C.-Y., and Kuo, H.-C. (2014, Feb). Improvement of emission uniformity by using micro-cone patterned PDMS film. *Optics express*, 22, (4), pp. 4516-4522. 本人為通訊作者.
 10. Horng, R.-H., Wu, B.-R., Tien, C.-H., Ou, S.-L., Yang, M.-H., Kuo, H.-C., and Wu, D.-S. (2014, Jan). Performance of GaN-based light-emitting diodes fabricated using GaN epilayers grown on silicon substrates. *Optics Express*, 22, (101), pp. A179-A187.
 11. Kuo, S.-Y., Hsieh, M.-Y., Han, H.-V., Lai, F.-I., Chuang, T.-Y., Yu, P., Lin, C.-C., and Kuo, H.-C. (2014, Jan). Flexible-textured polydimethylsiloxane antireflection structure for enhancing omnidirectional photovoltaic performance of Cu(In, Ga)Se₂ solar cells. *Optics express*, 22, (3), pp. 2860-2867. 本人為通訊作者.
 12. Lin, B.-C., Chen, K.-J., Wang, C.-H., Chiu, C.-H., Lan, Y.-P., Lin, C.-C., Lee, P.-T., Shih, M.-H., Kuo, Y.-K., and Kuo, H.-C. (2014, Jan). Hole injection and electron overflow improvement in InGaN/GaN light-emitting diodes by a tapered AlGaIn electron blocking layer. *Optics express*, 22, (1), pp. 463-469. 本人為通訊作者.
 13. Y. C. Hsu, K. P. Sou, S. P. Chang, K. S. Hsu, M. H. Shih, Hao-Chung Kuo, Y. J. C. and C. Y. C. (2013, Nov). Room temperature ultraviolet GaN metal-coated nanorod laser. *Applied Physics Letters*, Vol. 103, p. 191102 .
 14. S. P. Chang, J. R. Chang, K. P. Sou, M. C. Liu, Y. J. Cheng, Hao-Chung Kuo, and C. Y. Chang (2013, Sep). Electrically driven green, olivine, and amber color nanopillar light emitting diodes. *Optics Express*, Vol.21, pp. 23030-23035. 本人為通訊作者.
 15. K. J. Chen, H.V. Han, B. C. Lin, H. C. Chen, M. H. Shih, S. H. Chien, K. Y. Wang, H. H. Tsai, Peichen Yu, P. T. Lee, C. C. Lin, Hao-Chung Kuo (2013, Aug). Improving the Angular Color Uniformity of Hybrid Phosphor Structures in White Light-Emitting Diodes. *IEEE ELECTRON DEVICE LETTERS*, ,Vol. 34, Issue 10, pp. 1280-1282. 本人為通訊作者.
 16. M. H. Hsu, C. C. Lin, and Hao-Chung Kuo (2013, Aug). The metal grating design of plasmonic hybrid III-V/Si evanescent lasers. *Optics Express*, vol. 21, pp. 20210-20219. 本人為通訊作者.
 17. W. H. Huang, J. M. Shieh, F. M. Pan, C. H. Shen, J. Y. Huang, T. T. Wu, M. H. Kao, T. H. Hsiao, P. C. Yu, Hao-Chung Kuo, and C. T. Lee (2013, Aug). Multi-

functional stacked light-trapping structure for stabilizing and boosting solar-electricity efficiency of hydrogenated amorphous silicon solar cells. *Applied Physics Letters*, Vol. 103, p. 073107.

18. Yu-Kuang Liao, Yi-Chung Wang, Yu-Ting Yen, Chia-Hsiang Chen, Dan-Hua Hsieh, Shih-Chen Chen, Chia-Yu Lee, Chih-Chung Lai, Wei-Chen Kuo, Jenh-Yi Juang, Kaung-Hsiung Wu, Shun-Jen Cheng, Chih-Huang Lai, Fang-I Lai, Shou-Yi Kuo, Hao-Chung Kuo, Yu-Lun Chueh (2013, Aug). Non-antireflective Scheme for Efficiency Enhancement of Cu(In,Ga)Se₂ Nanotip Array Solar Cells. *ACS Nano*. 本人為通訊作者.
19. Yu-Kuang Liao, Yi-Chung Wang, Yu-Ting Yen, Chia-Hsiang Chen, Dan-Hua Hsieh, Shih-Chen Chen, Chia-Yu Lee, Chih-Chung Lai, Wei-Chen Kuo, Jenh-Yi Juang, Kaung-Hsiung Wu, Shun-Jen Cheng, Chih-Huang Lai, Fang-I Lai, Shou-Yi Kuo, Hao-Chung Kuo, and Yu-Lun Chueh (2013, Aug). Non-antireflective Scheme for Efficiency Enhancement of Cu(In,Ga)Se₂ Nanotip Array Solar Cells. *ACS nano*. (SCI). NSC 101-2622-E-007-011-CC2. 本人為通訊作者.
20. K. J. Chen, H. C. Chen, C. C. Lin, C. H. Wang, C. C. Yeh, H. H. Tsai, S. H. Chien, M. H. Shih, and Hao-Chung Kuo (2013, Jul). An investigation of the optical analysis in white light-emitting diodes with conformal and remote phosphor structure. *IEEE/OSA Journal of display technology*, vol.9 pp.915-920. 本人為通訊作者.
21. T. N. Lin, L. T. Huang, G. W. Shu, C. T. Yuan, J. L. Shen, C. A. J. Lin, W. H. Chang, C. H. Chiu, D. W. Lin, C. C. Lin, and Hao-Chung Kuo (2013, Jul). Distance dependence of energy transfer from InGaN quantum wells to graphene oxide. *Optics Letters*, vol. 38, pp. 2897-2899. 本人為通訊作者.
22. Y. L. Tsai, C. C. Lin, H. V. Han, H. C. Chen, K. J. Chen, W. C. Lai, J. K. Sheu, F. I. Lai, P. Yu, Hao-Chung Kuo (2013, Jul). Improving efficiency of InGaN/GaN multiple quantum well solar cells using CdS quantum dots and distributed Bragg reflectors. *Solar Energy Materials & Solar Cells*, 117, pp.531-536. 本人為通訊作者.
23. Y. K. Liao, S. Y. Kuo, M. Y. Hsieh, F. I. Lai, M. H. Kao, S. J. Cheng, D. W. Chiou, T. P. Hsieh, and Hao-Chung Kuo (2013, May). A Look into the Origin of Shunt Leakage Current of Cu(In,Ga)Se₂ Solar Cells via Experimental and Simulation Methods. *Solar Energy Materials & Solar Cells*, 117, pp. 145-151. 本人為通訊作者.
24. Hsun-Wen Wang, Peichen Yu, Yuh-Renn Wu, Hao-Chung Kuo, Edward Yi Chang, and Shiuan-Huei Lin (2013, Apr). Projected efficiency of polarization matched p-In_xGa_{1-x}N/i-In_yGa_{1-y}N/n-GaN double heterojunction solar cells. *IEEE Journal of photovoltaic*, vol. 3, pp. 985 – 990. 本人為通訊作者.

25. D. W. Lin, J. K. Huang, C. Y. Lee, R. W. Chang, Y. P. Lan, C. C. Lin, K. Y. Lee, C. H. Lin, P. T. Lee, G. C. Chi, and Hao-Chung Kuo (2013, Mar). Enhanced Light Output Power and Growth Mechanism of GaN-Based Light-Emitting Diodes Grown on Cone-Shaped SiO₂ Patterned Template. *Journal of Display Technology*, vol. 9, pp.285-291. 本人為通訊作者.
26. J. Yin, C. Yue, Y. S. Zang, C. H. Chiu, J. C. Li, Hao-Chung Kuo, Z. H. Wu, J. Li, Y. Y. Fang, and C. Q. Chen, (2013, Mar). Effect of the surface-plasmon-exciton coupling and charge transfer process on the photoluminescence of metal-semiconductor nanostructures. *Nanoscale*, vol. 5, pp. 4436-4442.
27. K. J. Chen, H. C. Chen, M. H. Shih, C. H. Wang, H. H. Tsai, S. H. Chien, C. C. Lin, and Hao-Chung Kuo (2013, Mar). Enhanced Luminous Efficiency of WLEDs Using a Dual-Layer Structure of the Remote Phosphor Package. *IEEE/OSA Journal of Lightwave Technology*, vol. 31, pp. 1941–1945. 本人為通訊作者.
28. K. J. Chen, H. T. Kuo, Y. C. Chiang, H. C. Chen, C. H. Wang, M. H. Shih, C. C. Lin, C. J. Pan, and Hao-Chung Kuo, (2013, Mar). Efficiency and Droop Improvement in Hybrid Warm White LEDs Using InGaN and AlGaInP High-Voltage LEDs. *JOURNAL OF DISPLAY TECHNOLOGY*, vol. 9, pp. 280- 284. 本人為通訊作者.
29. S. Y. Kuo, M. Y. Hsieh, H. V. Han, F. I. Lai, J. F. Yang, T. Y. Chuang, and Hao-Chung Kuo (2013, Mar). Dandelion-Shaped Nanostructures for Enhancing Omnidirectional Photovoltaic Performance. *Nanoscale*, 5, pp. 4270-4276. 本人為通訊作者.
30. M. Y. Hsieh, S. Y. Kuo, H. V. Han, J. F. Yang, Y. K. Liao, F. I. Lai and Hao-Chung Kuo (2013, Feb). Enhanced Broadband and Omnidirectional Performance of Cu(In,Ga)Se₂ Solar Cells with ZnO Funtional Nanotree Arrays. *Nanoscale*, 5, pp. 3841-3846. 本人為通訊作者.
31. C. C. Chen, C. H. Chiu, S.P. Chang, M. H. Shih, M. Y. Kuo, J. K. Huang, Hao-Chung Kuo, S. P. Chen, L. L. Lee, and M. S. Jeng (2013, Jan). Large-area ultraviolet GaN-based photonic quasicrystal laser with high-efficiency green color emission of semipolar {10-11} In_{0.3}Ga_{0.7}N/GaN multiple quantum wells. *Applied Physics Letters*, vol.102, 011134. 本人為通訊作者.
32. K. J. Chen, H. T. Kuo, H. C. Chen, M. H. Shih, C. H. Wang, S. H. Chien, S. H. Chiu, C. C. Lin, C. J. Pan, and Hao-Chung Kuo (2013, Jan). High thermal stability of correlated color temperature using current compensation in hybrid warm white high-voltage LEDs. *Optics Express*, vol. 21, pp. A201–A207. 本人為通訊作者.
33. S. C. Chen, K. Y. Sung, W. Y. Tzeng, K. H. Wu, J. Y. Juang, T. M. Uen, C. W.

- Luo, J. Y. Lin, T. Kobayashi, and Hao-Chung Kuo (2013, Jan). Microstructure and magnetic properties of oxidized titanium nitride thin films in situ grown by pulsed laser deposition. *JOURNAL OF PHYSICS D: APPLIED PHYSICS*, Vol. 46, Issue:7, pp. 4436-4442. 本人為通訊作者.
34. K. J. Chen, H. C. Chen, M. H. Shih, C. H. Wang, M. Y. Kuo, Y. C. Yang, C. C. Lin, and Hao-Chung Kuo (2012, 7). The Influence of the Thermal Effect on CdSe/ZnS Quantum Dots in Light-Emitting Diodes. *J. Lightwave Technol.*, Vol. 30, pp. 2256-2261. (IEEE).
 35. H. C. Chen, K. J. Chen, C. C. Lin, C. H. Wang, H. V. Han, H. H. Tsai, H. T. Kuo, S. H. Chien, M. H. Shih and Hao-Chung Kuo (2012, 6). Improvement in uniformity of emission by ZrO₂ nano-particles for white LEDs. *Nanotechnology*, Vol. 23, 265201. (SCI).
 36. Y. K. Kuo, B. C. Lin, J. Y. Chang, F. M. Chen, and Hao-Chung Kuo (2012, 6). Numerical Study of (0001) Face GaN/InGaN p-i-n Solar Cell With Compositional Grading Configuration. *IEEE Photon. Tech. Lett.*, Vol.24, pp.1039-1041. (IEEE).
 37. H. C. Chen, C. C. Lin, H. V. Han, K. J. Chen, Y. L. Tsai, Y. A. Chang, M. H. Shih, Hao-Chung Kuo, P. Yu (2012, 5). Enhancement of power conversion efficiency in GaAs solar cells with dual-layer quantum dots using flexible PDMS film. *Solar Energy Materials and Solar Cells*, Vol. 104, pp. 92-96. (SCI).
 38. T. G. Chen, P. C. Yu, Y. L. Tsai, C. H. Shen, J. M. Shieh, M. A. Tsai, and Hao-Chung Kuo (2012, 5). Nano-patterned glass superstrates with different aspect ratios for enhanced light harvesting in a-Si:H thin film solar cells. *OPTICS EXPRESS*, Vol. 20, pp. A412-A417. (SCI).
 39. C. C. Chen, C. H. Chiu, P. M. Tu, M. Y. Kuo, M. H. Shih, J. K. Huang, Hao-Chung Kuo, H. W. Zan, and C. Y. Chang (2012, 4). Large Area of Ultraviolet GaN-Based Photonic Quasicrystal Laser. *Japanese Journal of Applied Physics*, Vol. 51, 04DG02. (SCI).
 40. C. H. Chiu, L. H. Hsu, C. Y. Lee, C. C. Lin, B. W. Lin, S. J. Tu, Y. H. Chen, C. Y. Liu, W. C. Hsu, Y. P. Lan, J. K. Sheu, T. C. Lu, G. C. Chi, Hao-Chung Kuo, S. C. Wang, C. Y. Chang (2012, 4). Light extraction enhancement of GaN-based light emitting diodes using crown shaped patterned sapphire substrates. *IEEE Photon. Tech. Lett.*, Vol.24, pp.1041-1135. (IEEE).
 41. C. H. Chiu, P. M. Tu, S. P. Chang, C. C. Lin, C. Y. Jang, Z. Y. Li, H. C. Yang, H. W. Zan, Hao-Chung Kuo, T. C. Lu, S. C. Wang, and C. Y. Chang (2012, 4). Light Output Enhancement of GaN-Based Light-Emitting Diodes by Optimizing SiO₂ Nanorod-Array Depth Patterned Sapphire Substrate. *Japanese Journal of Applied Physics*, Vol. 51, 04DG11. (SCI).

42. H. C. Chen, K. J. Chen, C. C. Lin, C. H. Wang, C. C. Yeh, H. H. Tsai, M. H. Shih, and Hao-Chung Kuo (2012, 4). Improvement of lumen efficiency in white light-emitting diodes with air-gap embedded package. *Microelectronics Reliability*, Vol. 52, pp. 933-936. (SCI).
43. C. C. Lin, H. C. Chen, Y. L. Tsai, H. V. Han, H. S. Shih, Y. A. Chang, H. C. Kuo, and P. Yu (2012, 3). Highly efficient CdS-quantum-dot-sensitized GaAs solar cells. *OPTICS EXPRESS*, Vol.20, pp.A319-A326. (SCI).
44. C. H. Wang, S. P. Chang, P. H. Ku, Y. P. Lan, C. C. Lin, Hao-Chung Kuo, T. C. Lu, S. C. Wang, and C. Y. Chang (2012, 3). Efficiency and Droop Improvement in InGaN/GaN Light-Emitting Diodes by Selective Carrier Distribution Manipulation. *Applied Physics Express*, Vol. 5, Art. 042101. (SCI).
45. H. C. Chen, K. J. Chen, C. H. Wang, C. C. Lin, C. C. Yeh, H. H. Tsai, M. H. Shih, Hao-Chung Kuo, and T. C. Lu (2012, 3). A novel randomly textured phosphor structure for highly efficient white light-emitting diodes. *Nanoscale Research Letters*, Vol. 7, pp. 1-5. (SCI).
46. P. C. Tseng, M. A. Tsai, P. C. Yu, and Hao-Chung Kuo (2012, 3). Antireflection and light trapping of subwavelength surface structures formed by colloidal lithography on thin film solar cells. *Prog. Photovoltaics*, Vol.20, pp.135-142. (SCI).
47. C. H. Chiu, C. C. Lin, P. M. Tu, S. C. Huang, C. C. Tu, J. C. Li, Z. Y. Li, W. Y. Uen, H. W. Zan, T. C. Lu, Hao-Chung Kuo, S. C. Wang and C. Y. Chang (2012, 2). Improved Output Power of InGaN-Based Ultraviolet LEDs Using a Heavily Si-Doped GaN Insertion Layer Technique. *IEEE Journal of Quantum Electronics*, Vol. 48, pp. 175-181. (SCI).
48. K. M. Chen, Z. W. Mou, Hao-Chung Kuo, C. S. Chiu, B. Y. Chen, W. D. Liu, M. Y. Chen, Y. C. Yang, K. L. Wang, and G. W. Huang (2012, 2). Investigation of Hot-Carrier Stress Effect on High-Frequency Performance of Laterally Diffused Metal-Oxide-Semiconductor Transistors. *Japanese Journal of Applied Physics*, Vol. 51, 02BC12. (SCI).
49. S. C. Chen, Y. K. Liao, H. J. Chen, C. H. Chen, C. H. Lai, Y. L. Chueh, Hao-Chung Kuo, K. H. Wu, J. Y. Juang, S. J. Cheng, T. P. Hsieh, and T. Kobayashi (2012, 2). Ultrafast carrier dynamics in Cu(In,Ga)Se₂ thin films probed by femtosecond pump-probe spectroscopy. *OPTICS EXPRESS*, Vol. 20, pp. 12675-12681. (SCI).
50. S. P. Chang, Y. C. Chen, J. K. Huang, Y. J. Cheng, J. R. Chang, K. P. Sou, Y. T. Kang, H. C. Yang, T. C. Hsu, Hao-Chung Kuo, and C. Y. Chang (2012, 2). Electrically driven nanopillar green light emitting diode. *IEEE Photon. Tech. Lett.*, Vol.100, 061106. (IEEE).

51. Y. C. Wu, Y. C. Chen, T. M. Chen, C. S. Lee, K. J. Chen, and Hao-Chung Kuo (2012, 2). Crystal structure characterization, optical and photoluminescent properties of tunable yellow- to orange-emitting $Y_2(Ca,Sr)F_4S_2:Ce^{3+}$ phosphors for solid-state lighting. *Journal of Materials Chemistry*, Vol. 22, pp. 8048-8056. (SCI).
52. G. W. Shu, J. Y. Lin, H. T. Jian, J. L. Shen, S. C. Wang, C. L. Chou, W. C. Chou, C. H. Wu, C. H. Chiu, and H. C. Kuo (2012, Dec). Optical coupling from InGaAs subcell to InGaP subcell in InGaP/InGaAs/Ge multi-junction solar cells. *Optics Express*, vol. 21, pp. A123-A130. 本人為通訊作者.
53. C. H. Chiu, C. C. Lin, H. V. Han, C. Y. Liu, Y. H. Chen, Y. P. Lan, Peichen Yu, Hao-Chung Kuo, T. C. Lu, S. C. Wang and C. Y. Chang (2012, 1). High Efficiency GaN-based Light Emitting Diodes with Embedded Air Voids/SiO₂ Nanomasks. *Nanotechnology*, Vol. 23, 045303. (SCI).
54. C. H. Chiu, C. C. Lin, H. V. Han, C. Y. Liu, Y. H. Chen, Y. P. Lan, Peichen Yu, Hao-Chung Kuo, T. C. Lu, S. C. Wang and C. Y. Chang (2012, 1). High Efficiency GaN-based Light Emitting Diodes with Embedded Air Voids/SiO₂ Nanomasks. *Nanotechnology*, Vol. 23, 045303. (SCI).
55. K. J. Chen, H. C. Chen, K. A. Tsai, C. C. Lin, H. H. Tsai, S. H. Chien, Y. J. Hsu, M. H. Shih, C. H. Tsai, H. H. Shih, and Hao-Chung Kuo (2012, Jul). Resonant-Enhanced Full-Color Emission of Quantum-Dot-Based Display Technology Using a Pulsed Spray Method. *Advanced Functional materials*, 22, 5138–5143, 2012. (SCI).
56. K. M. Chen, Z. W. Mou, Hao-Chung Kuo, C. S. Chiu, B. Y. Chen, W. D. Liu, M. Y. Chen, Y. C. Yang, K. L. Wang, and G. W. Huang (2012, Feb). Investigation of Hot-Carrier Stress Effect on High-Frequency Performance of Laterally Diffused Metal-Oxide-Semiconductor Transistors. *Japanese Journal of Applied Physics*, Vol. 51 Art. 02BC12.
57. C. C. Chen, H. M. Huang, T. C. Lu, Hao-Chung Kuo, and C. K. Sun (2012). Magnitude-tunable sub-THz shear phonons in a non-polar GaN multiple-quantum-well p-i-n diode. *Applied Physics Letters*, Vol. 100, 201905. (SCI).
58. S. P. Chang, K. P. Sou, C. H. Chen, Y. J. Cheng, J. K. Huang, C. H. Lin, Hao-Chung Kuo, C. Y. Chang, and W. F. Hsieh (2012). Lasing action in gallium nitride quasicrystal nanorod arrays. *OPTICS EXPRESS*, Vol. 20, pp.12457-12462. (SCI).
59. Chin-Hung Liu, Chia-Hsiang Chen, Szu-Ying Chen, Yu-Ting Yen, Wei-Chen Kuo, Yu-Kuang Liao, Jenh-Yih Juang, Hao-Chung Kuo, Chih-Huang Lai, Lih-Juann Chen, and Yu-Lun Chueh (2011, 9). Large Scale Single-Crystal Cu(In,Ga)Se₂ Nanotip Arrays For High Efficiency Solar Cell. *Nano Letters*, Vol.

- 11, pp. 4443-4448. (SCI).
60. H. W. Wang, H. C. Chen, Y. A. Chang, C. C. Lin, H. W. Han, M. A. Tsai, H. C. Kuo, P. Yu, and S. H. Lin (2011, 9). Conversion Efficiency Enhancement of GaN/In_{0.11}Ga_{0.89}N Solar Cells With Nano-Patterned Sapphire and Biomimetic Surface Antireflection Process. *IEEE PHOTONICS TECHNOLOGY LETTERS*, Vol. 23, pp. 1304-1306. (IEEE).
 61. Huei-Min Huang, Tien-Chang Lu, Chiao-Yun Chang, Shih-Chun Ling, Wei-Wen Chan, Hao-Chung Kuo, and Shing-Chung Wang (2011, 9). Investigation of Emission Polarization and Strain in InGaN–GaN Multiple Quantum Wells on Nanorod Epitaxially Lateral Overgrowth Templates. *JOURNAL OF LIGHTWAVE TECHNOLOGY*, Vol. 29, pp. 2761-2764. (SCI).
 62. Ming-Hua Lo, Yuh-Jen Cheng, Mei-Chun Liu, Hao-Chung Kuo, and Shing Chung Wang Yu (2011, 9). Lasing at exciton transition in optically pumped gallium nitride nanopillars. *OPTICS EXPRESS*, Vol. 19, pp. 17960-17965. (SCI).
 63. C. H. Wang, D. W. Lin, C. Y. Lee, M. A. Tsai, G. L. Chen, H. T. Kuo, W. H. Hsu, H. C. Kuo, T. C. Lu, S. C. Wang, and G. C. Chi (2011, 8). Efficiency and Droop Improvement in GaN-Based High-Voltage Light-Emitting Diodes. *IEEE ELECTRON DEVICE LETTERS*, Vol. 32, pp. 1098-1100. (IEEE).
 64. Huei-Min Huang, Shih-Chun Ling, Wei-Wen Chan, Tien-Chang Lu, Hao-Chung Kuo, and Shing-Chung Wang (2011, 8). Optical Properties of A-Plane InGaN/GaN Multiple Quantum Wells Grown on Nanorod Lateral Overgrowth Templates. *IEEE JOURNAL OF QUANTUM ELECTRONICS*, Vol. 47, pp. 1101-1106. (IEEE).
 65. C. H. Chiu, C. C. Lin, D. M. Deng, D. W. Lin, J. C. Li, Z. Y. Li, G. W. Shu, T. C. Lu, J. L. Shen, Hao-Chung Kuo, and K. M. Lau (2011, 7). Optical and Electrical Properties of GaN-Based Light Emitting Diodes Grown on Micro- and Nano-Scale Patterned Si Substrate. *IEEE J. Quantum Electron.*, Vol. 47, pp. 899-906. (IEEE).
 66. M. A. Tsai, H. W. Han, Y. L. Tsai, P. C. Tseng, P. Yu, Hao-Chung Kuo, C. H. Shen, J. M. Shieh, and S. H. Lin (2011, 7). Embedded biomimetic nanostructures for enhanced optical absorption in thin-film solar cells. *OPTICS EXPRESS*, Vol. 19, pp. A757-A762. (SCI).
 67. C. L. Chao, R. Xuan, H. H. Yen, C. H. Chiu, Y. H. Fang, Z. Y. Li, B. C. Chen, C. C. Lin, C. H. Chiu, Y. D. Guo, Hao-Chung Kuo, J. F. Chen, and S. J. Cheng (2011, 6). Reduction of Efficiency Droop in InGaN Light-Emitting Diode Grown on Self-Separated Freestanding GaN Substrates. *IEEE Photon. Tech. Lett.*, Vol. 23, pp. 798-800. (IEEE).
 68. H. C. Chen, C. C. Lin, H. W. Wang, M. A. Tsai, P. C. Tseng, Y. L. Tsai, H. W.

- Han, Z. Y. Li, Y. A. Chang, Hao-Chung Kuo, P. Yu, and S. H. Lin (2011, 6). Efficiency Enhancement in Single-Junction InGaP Solar Cells by Using Self-Assembled Nanospheres. *IEEE PHOTONICS TECHNOLOGY LETTERS*, Vol. 23, pp. 691-693. (SCI).
69. P. C. Tseng, M. H. Hsu, M. A. Tsai, C. W. Chu, Hao-Chung Kuo, and P. C. Yu (2011, 6). Enhanced omnidirectional photon coupling via quasi-periodic patterning of indium-tin-oxide for organic thin-film solar cells. *ORGANIC ELECTRONICS*, Vol. 12, pp. 886-890. (SCI).
70. G. W. Shu, C. C. Lin, H. T. Lin, T. N. Lin, J. L. Shen, C. H. Chiu, Z. Y. Li, Hao-Chung Kuo, C. C. Lin, S. C. Wang, C. A. J. Lin, and W. H. Chang (2011, 5). Energy transfer from InGaN quantum wells to Au nanoclusters via optical waveguiding. *OPTICS EXPRESS*, Vol. 19, pp. A194-A200. (SCI).
71. B. S. Cheng, C. H. Chiu, M. H. Lo, Y. L. Wu, Hao-Chung Kuo, T. C. Lu, Y. J. Cheng, S. C. Wang, and K. J. Huang (2011, 5). Light Output Enhancement of UV Light-Emitting Diodes With Embedded Distributed Bragg Reflector. *IEEE PHOTONICS TECHNOLOGY LETTERS*, Vol. 23, pp. 642-644. (IEEE).
72. M. A. Tsai, H. W. Wang, P. C. Yu, Hao-Chung Kuo, and S. H. Lin (2011, 5). High Extraction Efficiency of GaN-Based Vertical-Injection Light-Emitting Diodes Using Distinctive Indium-Tin-Oxide Nanorod by Glancing-Angle Deposition Angle Deposition Angle Deposition. *JAPANESE JOURNAL OF APPLIED PHYSICS*, Vol. 50, pp. Art. 052102. (SCI).
73. M. A. Tsai, P. C. Tseng, H. C. Chen, Hao-Chung Kuo, and P. C. Yu (2011, 5). Enhanced conversion efficiency of a crystalline silicon solar cell with frustum nanorod arrays. *OPTICS EXPRESS*, Vol. 19, pp. A28-A32, 2011. (SCI).
74. P. C. Tseng, P. Yu, H. C. Chen, Y. L. Tsai, H. W. Han, M. A. Tsai, C. H. Chang, and Hao-Chung Kuo (2011, 5). Angle-resolved characteristics of silicon photovoltaics with passivated conical-frustum nanostructures. *Solar Energy Materials and Solar Cells*, Vol. 95, pp. 2610-2615. (SCI).
75. Po-Min Tu, Chun-Yen Chang, Shih-Cheng Huang, Ching-Hsueh Chiu, Jet-Rung Chang, Wei-Ting Chang, Dong-Sing Wu, Hsiao-Wen Zan, Chien-Chung Lin, Hao-Chung Kuo, and Chih-Peng Hsu (2011, 5). Investigation of efficiency droop for InGaN-based UV light-emitting diodes with InAlGaN barrier. *APPLIED PHYSICS LETTERS*, Vol. 98, 211107. (SCI).
76. C. C. Chen, C. H. Chiu, Y. C. Yang, M. H. Shih, J. R. Chen, Z. Z. Li, Hao-Chung Kuo, and T. C. Lu (2011, 4). Tunable Light Emission from GaN-Based Photonic Crystal with Ultraviolet AlN/AlGaIn Distributed Bragg Reflector. *JAPANESE JOURNAL OF APPLIED PHYSICS*, Vol. 50, Art. 04DG09. (SCI).
77. C. C. Chen, Y. H. Lin, M. H. Shih, G. R. Lin, and Hao-Chung Kuo (2011, 4).

Light Enhancement of Silicon-Nanocrystal-Embedded SiO_x Film on Silicon-on-Insulator Substrate. *JAPANESE JOURNAL OF APPLIED PHYSICS*, Vol. 50, Art. 04DJ09. (SCI).

78. C. H. Chiu, D. W. Lin, C. C. Lin, Z. Y. Li, Y. C. Chen, S. C. Ling, Hao-Chung Kuo, T. C. Lu, S. C. Wang, W. T. Liao, T. Tanikawa, Y. Honda, M. Yamaguchi, and N. Sawaki (2011, 3). Optical properties of (1 $\bar{1}$ 0 1) semi-polar InGaN/GaN multiple quantum wells grown on patterned silicon substrates. *JOURNAL OF CRYSTAL GROWTH*, Vol. 318, pp. 500-514. (SCI).
79. C.C. Lin, Y. C. Chi, Hao-Chung Kuo, P. C. Peng, C. J. Chang-Hasnain, and G. R. Lin (2011, 3). Beyond-Bandwidth Electrical Pulse Modulation of a TO-Can Packaged VCSEL for 10 Gbit/s Injection-Locked NRZ-to-RZ Transmission. *JOURNAL OF LIGHTWAVE TECHNOLOGY*, Vol. 29, pp. 830-841. (SCI).
80. M.H. Lo, Y.J. Cheng, Hao-Chung Kuo, and S.C. Wang (2011, 3). Enhanced electron-hole plasma stimulated emission in optically pumped gallium nitride nanopillars. *APPLIED PHYSICS LETTERS*, Vol. 98, Iss. 12, Art. 121101. (SCI).
81. K. M. Yeung, W. C. Luk, K. C. Tam, C. Y. Kwong, M. A. Tsai, Hao-Chung Kuo, A. M. C. Ng, A. B. Djurasic (2011, 2). 2-Step self-assembly method to fabricate broadband omnidirectional antireflection coating in large scale. *SOLAR ENERGY MATERIALS AND SOLAR CELLS*, Vol. 95, pp. 699-703. (SCI).
82. M. H. Lo, Y. J. Cheng, Hao-Chung Kuo, and S. C. Wang (2011, 2). Enhanced Stimulated Emission from Optically Pumped Gallium Nitride Nanopillars. *APPLIED PHYSICS EXPRESS*, Vol. 4, Iss.2, 022102. (SCI).
83. M. A. Tsai, H. C. Chen, P. C. Tseng, P. Yu, C. H. Chiu, H. C. Kuo, and S. H. Lin (2011, Dec). Efficiency Enhancement InGaP/GaAs Dual-Junction Solar Cell with Subwavelength Antireflection Nanorod Arrays. *Journal of Nanoscience and Nanotechnology*, Vol. 11, pp. 10729-10732. (SCI).
84. S. C. Huang, K. C. Shen, D. S. Wu, P. M. Tu, Hao-Chung Kuo, C. C. Tu, and R. H. Horng (2011, Dec). Study of 375 nm ultraviolet InGaN/AlGaIn light-emitting diodes with heavily Si-doped GaN transition layer in growth mode, internal quantum efficiency. *Journal of Applied Physics*, Vol. 110, 123102. (SCI).
85. Y. G. Wang, C. C. Chen, C. H. Chiu, M. Y. Kuo, M. H. Shih, and Hao-Chung Kuo (2011, Dec). Room temperature lasing with high group index in metal-coated GaN nanoring. *APPLIED PHYSICS LETTERS*, Vol. 98, Art. 131110. (SCI).
86. Yow-Gwo Wang, Shu-Wei Chang, Cheng-Chang Chen, Ching-Hsueh Chiu, Ming-Yen Kuo, M. H. Shih, and Hao-Chung Kuo (2011, Dec). Room temperature lasing with high groupindex in metal-coated GaN nanoring. *APPLIED PHYSICS LETTERS*, Vol. 99, 251111. (SCI).

87. C. H. Chiu, D. W. Lin, C. C. Lin, Z. Y. Li, W. T. Chang, H. W. Hsu, Hao-Chung Kuo, T. C. Lu, S. C. Wang, W. T. Liao, T. Tanikawa, Y. Honda, M. Yamaguchi, and N. Sawaki (2011, 1). Reduction of Efficiency Droop in Semipolar (111) InGaN/GaN Light Emitting Diodes Grown on Patterned Silicon Substrates. *APPLIED PHYSICS EXPRESS*, Vol. 4, Art. 012105. (SCI).
88. C. H. Wang, S. P. Chang, P. H. Ku, J. C. Li, Y. P. Lan, C. C. Lin, H. C. Yang, Hao-Chung Kuo, T. C. Lu, S. C. Wang, and C. Y. Chang (2011, 1). Hole transport improvement in InGaN/GaN light-emitting diodes by graded-composition multiple quantum barriers. *APPLIED PHYSICS LETTERS*, Vol. 99, 171106. (SCI).
89. D. W. Lin, C. C. Lin, C. H. Chiu, C. Y. Lee, Y. Y. Yang, Z. Y. Li, W. C. Lai, T. C. Lu, Hao-Chung Kuo, S. C. Wang (2011, 1). GaN-based LEDs Grown on HVPE Growth High Crystalline Quality Thick GaN Template. *Journal of The Electrochemical Society*, Vol. 158 (11) H1103-H1106. (SCI).
90. Y. Y. Huang, L. Y. Chen, C. H. Chang, Y. H. Sun, Y. W. Cheng, M. Y. Ke, Y. H. Lu, Hao-Chung Kuo, and J. J. Huang (2011, 1). Investigation of low-temperature electroluminescence of InGaN/GaN based nanorod light emitting arrays. *NANOTECHNOLOGY*, Vol. 22, Art. 045202. (SCI).
91. Hsin-Chu Chen, Chien-Chung Lin, Hao-Wei Han, Yu-Lin Tsai, Chia-Hua Chang, Hsun-Wen Wang, Min-An Tsai, Hao-Chung Kuo, and Peichen Yu (2011, Sep). Enhanced efficiency for c-Si solar cell with nanopillar array via quantum dots layers. *OPTICS EXPRESS*, Vol. 19, No. S5, A1141-A1146. (SCI). NSC 99-2120-M-009-007.
92. Hsin-Chu Chen, Chien-Chung Lin, Hao-Wei Han, Yu-Lin Tsai, Chia-Hua Chang, Hsun-Wen Wang, Min-An Tsai, Hao-Chung Kuo, and Peichen Yu (2011, Sep). Enhanced efficiency for c-Si solar cell with nanopillar array via quantum dots layers. *OPTICS EXPRESS*, Vol. 19, No. S5, A1141-A1146. (SCI). NSC 99-2120-M-009-007.
93. Hao-Chung Kuo, Cheng-Wei Hung, Hsin-Chu Chen, Kuo-Ju Chen, Chao-Hsun Wang, Chin-Wei Sher, Chia-Chi Yeh, Chien-Chung Lin, Cheng-Huan Chen, and Yuh-Jen Cheng (2011, Jul). Patterned structure of REMOTE PHOSPHOR for phosphor-converted white LEDs. *OPTICS EXPRESS*, Vol. 19, pp. A930-A936. (SCI). NSC 100-3113-E-009-001-CC2.
94. Hao-Chung Kuo, Cheng-Wei Hung, Hsin-Chu Chen, Kuo-Ju Chen, Chao-Hsun Wang, Chin-Wei Sher, Chia-Chi Yeh, Chien-Chung Lin, Cheng-Huan Chen, and Yuh-Jen Cheng (2011, Jul). Patterned structure of REMOTE PHOSPHOR for phosphor-converted white LEDs. *OPTICS EXPRESS*, Vol. 19, pp. A930-A936. (SCI). NSC 100-3113-E-009-001-CC2.

95. 1. M. A. Tsai, H. W. Han, Y. L. Tsai, P. C. Tseng, P. Yu, Hao-Chung Kuo, C. H. Shen, J. M. Shieh, and S. H. Lin (2011, Jan). Embedded biomimetic nanostructures for enhanced optical absorption in thin-film solar cells. *OPTICS EXPRESS*, Vol. 19, pp. A757-A762. (SCI).
96. 16. C. H. Chiu, D. W. Lin, C. C. Lin, Z. Y. Li, W. T. Chang, H. W. Hsu, Hao-Chung Kuo, T. C. Lu, S. C. Wang, W. T. Liao, T. Tanikawa, Y. Honda, M. Yamaguchi, and N. Sawaki (2011, Jan). Reduction of Efficiency Droop in Semipolar (1(1)over-bar01) InGaN/GaN Light Emitting Diodes Grown on Patterned Silicon Substrates. *APPLIED PHYSICS EXPRESS*, Vol. 4, Art. 012105. (SCI).
97. 2. M. A. Tsai, P. C. Tseng, H. C. Chen, Hao-Chung Kuo, and P. C. Yu (2011, Jan). Enhanced conversion efficiency of a crystalline silicon solar cell with frustum nanorod arrays. *OPTICS EXPRESS*, Vol. 19, pp. A28-A32, 2011. (SCI).
98. 26. Hsin-Chu Chen, Chien-Chung Lin, Hao-Wei Han, Yu-Lin Tsai, Chia-Hua Chang, Hsun-Wen Wang, Min-An Tsai, Hao-Chung Kuo, and Peichen Yu (2011, Jan). Enhanced efficiency for c-Si solar cell with nanopillar array via quantum dots layers. *OPTICS EXPRESS*, Vol. 19, pp. A1141-A1147. (SCI).
99. 3. C. L. Chao, R. Xuan, H. H. Yen, C. H. Chiu, Y. H. Fang, Z. Y. Li, B. C. Chen, C. C. Lin, C. H. Chiu, Y. D. Guo, Hao-Chung Kuo, J. F. Chen, and S. J. Cheng (2011, Jan). Reduction of Efficiency Droop in InGaN Light-Emitting Diode Grown on Self-Separated Freestanding GaN Substrates. *IEEE Photon. Tech. Lett.*, vol. 23, pp. 798-800. (SCI).
100. 4. C. H. Chiu, C. C. Lin, D. M. Deng, D. W. Lin, J. C. Li, Z. Y. Li, G. W. Shu, T. C. Lu, J. L. Shen, Hao-Chung Kuo, and K. M. Lau (2011, Jan). Optical and Electrical Properties of GaN-Based Light Emitting Diodes Grown on Micro- and Nano-Scale Patterned Si Substrate. *IEEE J. Quantum Electron.*, vol. 47, pp. 899-906. (SCI).
101. 5. G. W. Shu, C. C. Lin, H. T. Lin, T. N. Lin, J. L. Shen, C. H. Chiu, Z. Y. Li, Hao-Chung Kuo, C. C. Lin, S. C. Wang, C. A. J. Lin, and W. H. Chang (2011, Jan). Energy transfer from InGaN quantum wells to Au nanoclusters via optical waveguiding. *OPTICS EXPRESS*, Vol. 19, pp. A194-A200. (SCI).
102. B. S. Cheng, C. H. Chiu, M. H. Lo, Y. L. Wu, Hao-Chung Kuo, T. C. Lu, Y. J. Cheng, S. C. Wang, and K. J. Huang (2011, Jan). Light Output Enhancement of UV Light-Emitting Diodes With Embedded Distributed Bragg Reflector. *IEEE PHOTONICS TECHNOLOGY LETTERS*, Vol. 23, pp. 642-644. (SCI).
103. Bo-Siao Cheng, Yun-Lin Wu, Tien-Chang Lu, Ching-Hsueh Chiu, Cheng-Hung Chen, Po-Min Tu, Hao-Chung Kuo, Shing-Chung Wang, and Chun-Yen Chang (2011, Jan). High Q microcavity light emitting diodes with buried AlN current

- apertures. *APPLIED PHYSICS LETTERS*, Vol. 99, 041101. (SCI).
104. Bo-Siao Cheng, Yun-Lin Wu, Tien-Chang Lu, Ching-Hsueh Chiu, Cheng-Hung Chen, Po-Min Tu, Hao-Chung Kuo, Shing-Chung Wang, and Chun-Yen Chang (2011, Jan). High Q microcavity light emitting diodes with buried AlN current apertures. *APPLIED PHYSICS LETTERS*, Vol. 99, 041101. (SCI).
105. C. C. Chen, C. H. Chiu, Y. C. Yang, M. H. Shih, J. R. Chen, Z. Z. Li, Hao-Chung Kuo, and T. C. Lu (2011, Jan). Tunable Light Emission from GaN-Based Photonic Crystal with Ultraviolet AlN/AlGaIn Distributed Bragg Reflector. *JAPANESE JOURNAL OF APPLIED PHYSICS*, Vol. 50, Art. 04DG09. (SCI).
106. C. C. Chen, Y. H. Lin, M. H. Shih, G. R. Lin, and Hao-Chung Kuo (2011, Jan). Light Enhancement of Silicon-Nanocrystal-Embedded SiO_x Film on Silicon-on-Insulator Substrate. *JAPANESE JOURNAL OF APPLIED PHYSICS*, Vol. 50, Art. 04DJ09. (SCI).
107. C. H. Chiu, D. W. Lin, C. C. Lin, Z. Y. Li, Y. C. Chen, S. C. Ling, Hao-Chung Kuo, T. C. Lu, S. C. Wang, W. T. Liao, T. Tanikawa, Y. Honda, M. Yamaguchi, and N. Sawaki (2011, Jan). Optical properties of (1 1)over-bar 0 1) semi-polar InGaIn/GaN multiple quantum wells grown on patterned silicon substrates. *JOURNAL OF CRYSTAL GROWTH*, Vol. 318, pp. 500-514. (SCI).
108. C. H. Wang, D. W. Lin, C. Y. Lee, M. A. Tsai, G. L. Chen, H. T. Kuo, W. H. Hsu, H. C. Kuo, T. C. Lu, S. C. Wang, and G. C. Chi (2011, Jan). Efficiency and Droop Improvement in GaN-Based High-Voltage Light-Emitting Diodes. *IEEE ELECTRON DEVICE LETTERS*, Vol. 32, pp. 1098-1100. (SCI).
109. C.C. Lin, Y. C. Chi, Hao-Chung Kuo, P. C. Peng, C. J. Chang-Hasnain, and G. R. Lin (2011, Jan). Beyond-Bandwidth Electrical Pulse Modulation of a TO-Can Packaged VCSEL for 10 Gbit/s Injection-Locked NRZ-to-RZ Transmission. *JOURNAL OF LIGHTWAVE TECHNOLOGY*, Vol. 29, pp. 830-841. (SCI).
110. C.H. Wang, C.C. Ke, C.H. Chiu, J.C. Li, Hao-Chung Kuo, T.C. Lu and S.C. Wang (2011, Jan). Study of the internal quantum efficiency of InGaIn/GaN UV LEDs on patterned sapphire substrate using the electroluminescence method. *JOURNAL OF CRYSTAL GROWTH*, Vol. 315, pp. 242-245, 2011. (SCI).
111. C.H. Wang, C.C. Ke, C.H. Chiu, J.C. Li, Hao-Chung Kuo, T.C. Lu and S.C. Wang (2011, Jan). Study of the internal quantum efficiency of InGaIn/GaN UV LEDs on patterned sapphire substrate using the electroluminescence method. *JOURNAL OF CRYSTAL GROWTH*, Vol. 315, pp. 242-245, 2011. (SCI).
112. Chang-Hong Shen, Jia-Min Shieh, Jung Y. Huang, Hao-Chung Kuo, Chih-Wei Hsu, Bau-Tong Dai, Ching-Ting Lee, Ci-Ling Pan, and Fu-Liang Yang (2011, Jan). Inductively coupled plasma grown semiconductor films for low cost solar cells with improved light-soaking stability. *APPLIED PHYSICS LETTERS*, Vol.

- 99, 033510. (SCI).
113. Chang-Hong Shen, Jia-Min Shieh, Jung Y. Huang, Hao-Chung Kuo, Chih-Wei Hsu, Bau-Tong Dai, Ching-Ting Lee, Ci-Ling Pan, and Fu-Liang Yang (2011, Jan). Inductively coupled plasma grown semiconductor films for low cost solar cells with improved light-soaking stability. *APPLIED PHYSICS LETTERS*, Vol. 99, 033510. (SCI).
 114. Chin-Hung Liu, Chia-Hsiang Chen, Szu-Ying Chen, Yu-Ting Yen, Wei-Chen Kuo, Yu-Kuang Liao, Jenh-Yih Juang, Hao-Chung Kuo, Chih-Huang Lai, Lih-Juann Chen, and Yu-Lun Chueh (2011, Jan). arge Scale Single-Crystal Cu(In,Ga)Se₂ Nanotip Arrays For High Efficiency Solar Cell. *Nano Letters*, 11, pp. 4443-4448. (SCI).
 115. D. M. Deng, C. H. Chiu, Hao-Chung Kuo, P. Chen, and K. M. Lau (2011, Jan). Material characteristics of InGaN based light emitting diodes grown on porous Si substrates. *JOURNAL OF CRYSTAL GROWTH*, Vol. 315, pp. 238-241. (SCI).
 116. D. M. Deng, C. H. Chiu, Hao-Chung Kuo, P. Chen, and K. M. Lau (2011, Jan). Material characteristics of InGaN based light emitting diodes grown on porous Si substrates. *JOURNAL OF CRYSTAL GROWTH*, Vol. 315, pp. 238-241. (SCI).
 117. G. R. Lin, Y. S. Liao, and Hao-Chung Kuo (2011, Jan). In Situ and Self-Restorable Injection-Locking Monitor by Integrated Photodiode for FPLD WDM Transmitter. *IEEE JOURNAL OF QUANTUM ELECTRONICS*, Vol. 47, pp. 76-83. (IEEE).
 118. G. R. Lin, Y. S. Liao, and Hao-Chung Kuo (2011, Jan). In Situ and Self-Restorable Injection-Locking Monitor by Integrated Photodiode for FPLD WDM Transmitter. *IEEE JOURNAL OF QUANTUM ELECTRONICS*, Vol. 47, pp. 76-83. (SCI).
 119. H. C. Chen, C. C. Lin, H. W. Wang, M. A. Tsai, P. C. Tseng, Y. L. Tsai, H. W. Han, Z. Y. Li, Y. A. Chang, Hao-Chung Kuo, P. Yu, and S. H. Lin (2011, Jan). Efficiency Enhancement in Single-Junction InGaP Solar Cells by Using Self-Assembled Nanospheres. *IEEE PHOTONICS TECHNOLOGY LETTERS*, Vol. 23, pp. 691-693. (SCI).
 120. H. W. Wang, H. C. Chen, Y. A. Chang, C. C. Lin, H. W. Han, M. A. Tsai, H. C. Kuo, P. Yu, and S. H. Lin (2011, Jan). Conversion Efficiency Enhancement of GaN/In_{0.11}Ga_{0.89}N Solar Cells With Nano-Patterned Sapphire and Biomimetic Surface Antireflection Process. *IEEE PHOTONICS TECHNOLOGY LETTERS*, Vol. 23, pp. 1304-1306. (SCI).
 121. Huei-Min Huang, Tien-Chang Lu, Chiao-Yun Chang, Shih-Chun Ling, Wei-Wen Chan, Hao-Chung Kuo, and Shing-Chung Wang (2011, Jan). Investigation of Emission Polarization and Strain in InGaN–GaN Multiple Quantum Wells on

- Nanorod Epitaxially Lateral Overgrowth Templates. *JOURNAL OF LIGHTWAVE TECHNOLOGY*, Vol. 29, pp. 2761-2764. (SCI).
122. M. A. Tsai, H. W. Wang, P. C. Yu, Hao-Chung Kuo, and S. H. Lin (2011, Jan). High Extraction Efficiency of GaN-Based Vertical-Injection Light-Emitting Diodes Using Distinctive Indium-Tin-Oxide Nanorod by Glancing-Angle Deposition. *JAPANESE JOURNAL OF APPLIED PHYSICS*, Vol. 50, pp. Art. 052102. (SCI).
 123. M. H. Lo, Y. J. Cheng, Hao-Chung Kuo, and S. C. Wang (2011, Jan). Enhanced Stimulated Emission from Optically Pumped Gallium Nitride Nanopillars. *APPLIED PHYSICS EXPRESS*, Vol. 4, Iss.2, 022102. (SCI).
 124. M.H. Lo, Y.J. Cheng, Hao-Chung Kuo, and S.C. Wang (2011, Jan). Enhanced electron-hole plasma stimulated emission in optically pumped gallium nitride nanopillars. *APPLIED PHYSICS LETTERS*, Vol. 98, Iss. 12, Art. 121101. (SCI).
 125. P. C. Tseng, M. H. Hsu, M. A. Tsai, C. W. Chu, Hao-Chung Kuo, and P. C. Yu (2011, Jan). Enhanced omnidirectional photon coupling via quasi-periodic patterning of indium-tin-oxide for organic thin-film solar cells. *ORGANIC ELECTRONICS*, Vol. 12, pp. 886-890. (SCI).
 126. Y. G. Wang, C. C. Chen, C. H. Chiu, M. Y. Kuo, M. H. Shih, and Hao-Chung Kuo (2011, Jan). Lasing in metal-coated GaN nanostripe at room temperature. *APPLIED PHYSICS LETTERS*, Vol. 98, Art. 131110. (SCI).
 127. Y. Y. Huang, L. Y. Chen, C. H. Chang, Y. H. Sun, Y. W. Cheng, M. Y. Ke, Y. H. Lu, Hao-Chung Kuo, and J. J. Huang (2011, Jan). Investigation of low-temperature electroluminescence of InGaN/GaN based nanorod light emitting arrays. *NANOTECHNOLOGY*, Vol. 22, Art. 045202. (SCI).
 128. Yun-Chen Wu, De-Yin Wang, Teng-Ming Chen, Chi-Shen Lee, Kuo-Ju Chen, and Hao-Chung Kuo (2011, Jan). A Novel Tunable Green- to Yellow-Emitting β -YFS:Ce³⁺ Phosphor for Solid-State Lighting. *Applied Materials & Interfaces*, Vol. 3, pp. 3195-3199. (SCI).
 129. Yun-Chen Wu, De-Yin Wang, Teng-Ming Chen, Chi-Shen Lee, Kuo-Ju Chen, and Hao-Chung Kuo (2011, Jan). A Novel Tunable Green- to Yellow-Emitting β -YFS:Ce³⁺ Phosphor for Solid-State Lighting. *Applied Materials & Interfaces*, Vol. 3, pp. 3195-3199. (SCI).
 130. C. H. Chiu, P. M. Tu, C. C. Lin, D. W. Lin, Z. Y. Li, K. L. Chuang, J. R. Chang, member, T. C. Lu, H. W. Zan, C. Y. Chen, Hao-Chung Kuo, S. C. Wang, and C. Y. Chang (2011). Highly Efficient and Bright LEDs Overgrown on GaN Nano-Pillar Substrates. *IEEE J. Select. Topics Quantum Electron.*, Vol. 17, no. 4, pp. 971–978. (IEEE).
 131. H. H. Yen, Hao-Chung Kuo, W. Y. Yeh (2010, 8). Particular Failure Mechanism

- of GaN-Based Alternating Current Light-Emitting Diode Induced by GaOx Oxidation. *IEEE Photon. Tech. Lett.*, Vol. 22, pp. 1168-1170. (IEEE).
132. C. F. Lai, Hao-Chung Kuo, P. Yu, T. C. Lu, C. H. Chao, H. H. Yen, W. Y. Yeh (2010, 7). Highly-directional emission patterns based on near single guided mode extraction from GaN-based ultrathin microcavity light-emitting diodes with photonic crystals. *Appl. Phys. Lett.*, Vol. 97, 013108. (SCI).
 133. J. R. Chen, T. C. Lu, Hao-Chung Kuo, K. L. Fang, K. F. Huang, C. W. Kuo, C. J. Chang, C. T. Kuo, S. C. Wang (2010, 6). Study of InGaN-GaN Light-Emitting Diodes With Different Last Barrier Thicknesses. *IEEE Photon. Tech. Lett.*, Vol. 22, pp. 860-862. (IEEE).
 134. S. C. Ling, T. C. Lu, S. P. Chang, J. R. Chen, Hao-Chung Kuo, S. C. Wang (2010, 6). Low efficiency droop in blue-green m-plane InGaN/GaN light emitting diodes. *Appl. Phys. Lett.*, Vol. 96, 231101. (SCI).
 135. D. M. Deng, N. Yu, Y. Wang, X. B. Zou, Hao-Chung Kuo, P. Chen, K. M. Lau (2010, 5). InGaN-based light-emitting diodes grown and fabricated on nanopatterned Si substrates. *Appl. Phys. Lett.*, Vol. 96, 201106. (SCI).
 136. H. P. D. Yang, Z. E. Yeh, G. Lin, Hao-Chung Kuo, J. Y. Chi (2010, 5). InGaAs submonolayer quantum-dot photonic-crystal LEDs for fiber-optic communications. *Microelectron. Reliab.*, Vol. 50, pp. 688-691. (SCI).
 137. H. W. Huang, F. I. Lai, J. K. Huang, C. H. Lin, K. Y. Lee, C. F. Lin, C. C. Yu, Hao-Chung Kuo (2010, 5). Enhancement of light output power of GaN-based light-emitting diodes using a SiO₂ nano-scale structure on a p-GaN surface. *Semicond. Sci. Technol.*, Vol. 25, Art.065007. (SCI).
 138. S. W. Chen, T. C. Lu, Y. J. Hou, T. C. Liu, Hao-Chung Kuo, and S. C. Wang (2010, 5). Angular-resolved lasing characteristics at different band edges in GaN photonic crystal surface emitting lasers . *APPLIED PHYSICS LETTERS*, Vol. 96, 071108. (SCI).
 139. C. F. Lai, C. H. Chao, Hao-Chung Kuo, P. Yu, H. H. Yen, W. Y. Yeh (2010, 4). GaN Thickness Effect on Directional Light Enhancement from GaN-Based Film-Transferred Photonic Crystal Light-Emitting Diodes. *Jpn. J. Appl. Phys.*, Vol. 49, 04DG09. (SCI).
 140. C. P. Chen, P. H. Lin, Y. J. Hung, S. S. Hsu, L.Y. Chen, Y. W. Cheng, M. Y. Ke, Y. Y. Huang, C. H. Chang, C. H. Chiu, Hao-Chung Kuo, J. J. Huang (2010, 4). Investigation of light absorption properties and acceptance angles of nanopatterned GZO/a-Si/p(+)-Si photodiodes. *Nanotechnology*, Vol. 21, 215201. (SCI).
 141. S. C. Ling, C. L. Chao, J. R. Chen, P. C. Liu, T. S. Ko, T. C. Lu, Hao-Chung Kuo, S. C. Wang, S. J. Cheng, J. D. Tsay (2010, 4). Crystal quality improvement

- of a-plane GaN using epitaxial lateral overgrowth on nanorods. *J. Cryst. Growth*, Vol. 312, pp. 1316-1320. (SCI).
142. T. C. Lu, S. W. Chen, T. T. Wu, P. M. Tu, C. K. Chen, C. H. Chen, Z. Y. Li, Hao-Chung Kuo, S. C. Wang (2010, 4). Continuous wave operation of current injected GaN vertical cavity surface emitting lasers at room temperature. *Appl. Phys. Lett.*, Vol. 97, 071114. (SCI).
 143. H. M. Huang, S. C. Ling, J. R. Chen, T. S. Ko, J. C. Li, T. C. Lu, Hao-Chung Kuo, S. C. Wang (2010, 3). Growth and characterization of a-plane Al_xGa_{1-x}N alloys by metalorganic chemical vapor deposition. *J. CRYSTAL GROWTH*, Vol. 312, pp. 869-873. (SCI).
 144. C. H. Wang, C. C. Ke, C. Y. Lee, S. P. Chang, W. T. Chang, J. C. Li, Z. Y. Li, H. C. Yang, H. C. Kuo, T. C. Lu and S. C. Wang (2010, Dec). Hole injection and efficiency droop improvement in InGaN/GaN lightemitting diodes by band-engineered electron blocking layer. *Applied Physics Letters*, 98, 261103. (SCI). NSC 100-3113-E-009-001-CC2.
 145. C. H. Wang, C. C. Ke, C. Y. Lee, S. P. Chang, W. T. Chang, J. C. Li, Z. Y. Li, H. C. Yang, H. C. Kuo, T. C. Lu and S. C. Wang (2010, Dec). Hole injection and efficiency droop improvement in InGaN/GaN lightemitting diodes by band-engineered electron blocking layer. *APPLIED PHYSICS LETTERS*, Vol. 98, 261103. (SCI). NSC 100-3113-E-009-001-CC2.
 146. T. C. Lu, M. Y. Ke, S. C. Yang, Y. W. Cheng, L. Y. Chen, G. J. Lin, Y. H. Lu, J. H. He, Hao-Chung Kuo, J. J. Huang (2010, Dec). Characterizations of low-temperature electroluminescence from ZnO nanowire light-emitting arrays on the p-GaN layer. *Opt. Lett.*, Vol. 35, pp. 4109-4111. (SCI).
 147. Y. A. Chang, Hao-Chung Kuo, T. C. Lu, F. I. Lai, S. Y. Kuo, L. W. Lai, L. H. Lai, S. C. Wang (2010, Dec). Efficiency Improvement of Single-Junction In_{0.5}Ga_{0.5}P Solar Cell with Compositional Grading p-Emitter/Window Capping Configuration. *pn. J. Appl. Phys.*, Vol. 49,? 122301. (SCI).
 148. C. C. Chen, J. R. Chen, Y. C. Yang, M. H. Shih, Hao-Chung Kuo (2010, Nov). Light Emission Enhancement of GaN-Based Photonic Crystal With Ultraviolet AlN/AlGaN Distributed Bragg Reflector. *IEEE, J. Lightwave Tech.*, Vol. 28, pp. 3189-3192. (IEEE).
 149. C. H. Wang, S. P. Chang, W. T. Chang, J. C. Li, Y. S. Lu, Z. Y. Li, H. C. Yang, Hao-Chung Kuo, T. C. Lu, S. C. Wang (2010, Nov). Efficiency droop alleviation in InGaN/GaN light-emitting diodes by graded-thickness multiple quantum wells. *APPLIED PHYSICS LETTERS*, Vol. 97, 181101. (SCI). NSC 98-3114-E-009-002-CC2.
 150. C. H. Wang, S. P. Chang, W. T. Chang, J. C. Li, Y. S. Lu, Z. Y. Li, H. C. Yang,

- Hao-Chung Kuo, T. C. Lu, S. C. Wang (2010, Nov). Efficiency droop alleviation in InGaN/GaN light-emitting diodes by graded-thickness multiple quantum wells. *Appl. Phys. Lett.*, vol. 97, Art.181101. (SCI). NSC 98-3114-E-009-002-CC2.
151. P. H. Lin, C. P. Chen, Y. J. Hung, S. S. Hsu, L. Y. Chen, Y. W. Cheng, M. Y. Ke, C. H. Chiu, Hao-Chung Kuo, J. J. Huang (2010, Nov). Investigation of Carrier Transient Response of Nanopatterned n-ZnO/a-Si(i)/p(+)-Si Photodiodes. *IEEE Photon. Tech. Lett.*, Vol. 22, pp. 1589-1591. (IEEE).
152. C. F. Lai, Hao-Chung Kuo, C. H. Chao, P. C. Yu, W. Y. Yeh (2010, Oct). Structural Effects on Highly Directional Far-Field Emission Patterns of GaN-Based Micro-Cavity Light-Emitting Diodes With Photonic Crystals. *IEEE, J. Lightwave Tech.*, Vol. 28, pp. 2881-2889. (IEEE).
153. C. H. Chiu, D. W. Lin, Z. Y. Li, C. H. Chiu, C. L. Chao, C. C. Tu, Hao-Chung Kuo, T. C. Lu, S. C. Wang (2010, Oct). Improvement in Crystalline Quality of InGaN-Based Epilayer on Sapphire via Nanoscaled Epitaxial Lateral Overgrowth. *Jpn. J. Appl. Phys.*, Vol. 105501. (SCI).
154. G. R. Lin, Y. S. Liao, Y. C. Chi, Hao-Chung Kuo, G. C. Lin, H. L. Wang, Y. J. Chen (2010, Oct). Long-Cavity Fabry-Perot Laser Amplifier Transmitter With Enhanced Injection-Locking Bandwidth for WDM-PON Application. *IEEE, J. Lightwave Tech.*, Vol. 28, pp. 2925-2932. (IEEE).
155. H. W. Huang, J. K. Huang, C. H. Lin, K. Y. Lee, H. W. Hsu, C. C. Yu, Hao-Chung Kuo (2010, 1). Efficiency Improvement of GaN-Based LEDs With a SiO₂ Nanorod Array and a Patterned Sapphire Substrate. *IEEE Electron Device Lett.*, Vol. 31, pp. 582-584. (IEEE).
156. H. W. Huang, J. K. Huang, K. Y. Lee, C. F. Lin, Hao-Chung Kuo (2010, 1). Light-Output-Power Enhancement of GaN-Based Light-Emitting Diodes on an n-GaN Layer Using a SiO₂ Photonic Quasi-Crystal Overgrowth. *IEEE Electron Device Lett.*, Vol. 31, pp. 573-575. (IEEE).
157. J. R. Chen, Y. C. Wu, S. C. Ling, T. S. Ko, T. C. Lu, Hao-Chung Kuo, Y. K. Kuo, S. C. Wang (2010, 1). Investigation of wavelength-dependent efficiency droop in InGaN light-emitting diodes. *Appl. Phys. B.*, Vol. 98, pp. 779-789. (SCI).
158. M. A. Tsai, P. Yu, C. H. Chiu, Hao-Chung Kuo, T. C. Lu, and S. H. Lin (2010, 1). Self-Assembled Two-Dimensional Surface Structures for Beam Shaping of GaN-Based Vertical-Injection Light-Emitting Diodes. *IEEE Photon. Tech. Lett.*, Vol. 22, pp. 12-14. (IEEE).
159. S. P. Chang, H. C. Yang, T. C. Lu, Hao-Chung Kuo, S. C. Wang (2010, 1). Influence of LT-GaN nucleation layer on the structural and optical properties of MOVPE-grown a-plane GaN. *J. Cryst. Growth*, Vol. 312, pp. 1307-1310. (SCI).

160. P. C. Tseng, M. A. Tsai, P. C. Yu, and Hao-Chung Kuo, (2010, Sep). Antireflection and light trapping of subwavelength surface structures formed by colloidal lithography on thin film solar cells. *Prog. Photovoltaics*, Vol20, pp.135-142.
161. C. C. Chen, M. H. Shih, Y. C. Yang, Hao-Chung Kuo (2010, Feb). Ultraviolet GaN-based microdisk laser with AlN/AlGaN distributed Bragg reflector. *APPLIED PHYSICS LETTERS*, Vol. 96,? 151115. (SCI).
162. C. E. Lee, Y. J. Lee, H. C. Kuo, M. R. Tsai, B. S. Cheng, T. C. Lu, S. C. Wang, C. T. Kuo (2010, Feb). Enhancement of Flip-Chip Light-Emitting Diodes With Omni-Directional Reflector and Textured Micropillar Arrays. *Photon. Tech. Lett.* (SCI).
163. C. H. Wang, J. R. Chen, C. H. Chiu, Hao-Chung Kuo, Y. L. Li, T. C. Lu, S. C. Wang (2010, Feb). Temperature-Dependent Electroluminescence Efficiency in Blue InGaN-GaN Light-Emitting Diodes With Different Well Widths. *IEEE Photon. Tech. Lett.*, Vol. 22, pp. 236-238. (IEEE). NSC 98-3114-E-009-002-CC2.
164. C. H. Wang, J. R. Chen, C. H. Chiu, Hao-Chung Kuo, Y. L. Li, T. C. Lu, S. C. Wang (2010, Feb). Temperature-Dependent Electroluminescence Efficiency in Blue InGaN-GaN Light-Emitting Diodes With Different Well Widths. *IEEE Photon. Tech. Lett.*, vol. 22, pp. 236-238. (SCI). NSC 98-3114-E-009-002-CC2.
165. H. W. Huang, C. H. Lin, Z. K. Huang, K. Y. Lee, C. C. Yu, Hao-Chung Kuo (2010, Feb). Double Photonic Quasi-Crystal Structure Effect on GaN-Based Vertical-Injection Light-Emitting Diodes. *Jpn. J. Appl. Phys.*, Vol. 49,? 22101. (SCI).
166. H. W. Huang, J. K. Huang, S. Y. Kuo, K. Y. Lee, Hao-Chung Kuo (2010, Feb). High extraction efficiency GaN-based light-emitting diodes on embedded SiO₂ nanorod array and nanoscale patterned sapphire substrate. *Appl. Phys. Lett.*, Vol. 96, 263115. (SCI).
167. H. W. Huang, K. Y. Lee, J. K. Huang, C. H. Lin, C. F. Lin, C. C. Yu, Hao-Chung Kuo (2010, Feb). Light Extraction Efficiency Enhancement of GaN-Based Light Emitting Diodes on n-GaN Layer Using a SiO₂ Photonic Quasi-Crystal Overgrowth. *J. Nanosci. Nanotechnol.*, Vol. 10, pp. 6363-6368. (SCI).
168. J. C. Li, T. C. Lu, H. M. Huang, W. W. Chan, Hao-Chung Kuo, S. C. Wang (2010, Feb). Characteristics of emission polarization in a-plane nanorods embedded with InGaN/GaN multiple quantum wells. *J. Appl. Phys.*, Vol. 108, 063508. (SCI).
169. P. C. Peng, R. L. Lan, F. M. Wu, G. Lin, C. T. Lin, J. Chen, G. R. Lin, S. Chi, Hao-Chung Kuo, J. Y. Chi (2010, Feb). Polarization Characteristics of Quantum-Dot Vertical-Cavity Surface-Emitting Laser With Light Injection. *IEEE Photon.*

- Tech. Lett.*, Vol. 22, pp. 179-181. (IEEE).
170. S. P. Chang, T. C. Lu, L. F. Zhuo, C. Y. Jang, D. W. Lin, H. C. Yang, Hao-Chung Kuo, S. C. Wang (2010, Feb). Low Droop Nonpolar GaN/InGaN Light Emitting Diode Grown on m-Plane GaN Substrate. *J. ELECTROCHEMICAL SOCIETY*, Vol. 157, pp. H501-H503. (SCI).
 171. T. S. Ko, T. C. Lu, L. F. Zhuo, W. L. Wang, M. H. Liang, Hao-Chung Kuo, S. C. Wang, L. Chang, D. Y. Lin (2010, Feb). Optical characteristics of a-plane ZnO/Zn_{0.8}Mg_{0.2}O multiple quantum wells grown by pulsed laser deposition. *J. Appl. Phys.*, Vol. 108, 073504. (SCI).
 172. C. C. Chen, J. R. Chen, Y. C. Yang, M. H. Shih, Hao-Chung Kuo, (2010, --). Light Emission Enhancement of GaN-Based Photonic Crystal With Ultraviolet AlN/AlGaN Distributed Bragg Reflector. *IEEE, J. Lightwave Tech.*, vol. 28, pp. 3189-3192. (SCI).
 173. C. C. Chen, M. H. Shih, Y. C. Yang, Hao-Chung Kuo, (2010, --). Ultraviolet GaN-based microdisk laser with AlN/AlGaN distributed Bragg reflector. *Appl. Phys. Lett.*, vol. 96, Art. 151115. (SCI).
 174. C. F. Lai, Hao-Chung Kuo, C. H. Chao, P. C. Yu, W. Y. Yeh, (2010, --). Structural Effects on Highly Directional Far-Field Emission Patterns of GaN-Based Micro-Cavity Light-Emitting Diodes With Photonic Crystals. *IEEE, J. Lightwave Tech.*, vol. 28, pp. 2881-2889. (SCI).
 175. C. F. Lai, Hao-Chung Kuo, P. Yu, T. C. Lu, C. H. Chao, H. H. Yen, W. Y. Yeh, (2010, --). Highly-directional emission patterns based on near single guided mode extraction from GaN-based ultrathin microcavity light-emitting diodes with photonic crystals. *Appl. Phys. Lett.*, vol. 97, Art.013108. (SCI).
 176. C. P. Chen, P. H. Lin, Y. J. Hung, S. S. Hsu, L.Y. Chen, Y. W. Cheng, M. Y. Ke, Y. Y. Huang, C. H. Chang, C. H. Chiu, Hao-Chung Kuo, J. J. Huang, (2010, --). Investigation of light absorption properties and acceptance angles of nanopatterned GZO/a-Si/p(+)-Si photodiodes. *Nanotechnology*, vol. 21, Art. 215201. (SCI).
 177. D. M. Deng, N. Yu, Y. Wang, X. B. Zou, Hao-Chung Kuo, P. Chen, K. M. Lau, (2010, --). InGaN-based light-emitting diodes grown and fabricated on nanopatterned Si substrates. *Appl. Phys. Lett.*, vol. 96, Art.201106. (SCI).
 178. G. R. Lin, Y. S. Liao, Y. C. Chi, Hao-Chung Kuo, G. C. Lin, H. L. Wang, Y. J. Chen, (2010, --). Long-Cavity Fabry-Perot Laser Amplifier Transmitter With Enhanced Injection-Locking Bandwidth for WDM-PON Application. *IEEE, J. Lightwave Tech.*, vol. 28, pp. 2925-2932. (SCI).
 179. H. W. Huang, J. K. Huang, C. H. Lin, K. Y. Lee, H. W. Hsu, C. C. Yu, Hao-Chung Kuo (2010, --). Efficiency Improvement of GaN-Based LEDs With a

- SiO₂ Nanorod Array and a Patterned Sapphire Substrate. *IEEE Electron Device Lett.*, vol. 31, pp. 582-584,. (SCI).
180. H. W. Huang, J. K. Huang, K. Y. Lee, C. F. Lin, Hao-Chung Kuo, (2010, --). Light-Output-Power Enhancement of GaN-Based Light-Emitting Diodes on an n-GaN Layer Using a SiO₂ Photonic Quasi-Crystal Overgrowth. *IEEE Electron Device Lett.*, vol. 31, pp. 573-575. (SCI).
181. H. W. Huang, J. K. Huang, S. Y. Kuo, K. Y. Lee, Hao-Chung Kuo (2010, --). High extraction efficiency GaN-based light-emitting diodes on embedded SiO₂ nanorod array and nanoscale patterned sapphire substrate. *Appl. Phys. Lett.*, vol. 96, Art.263115,. (SCI).
182. J. R. Chen, T. C. Lu, Hao-Chung Kuo, K. L. Fang, K. F. Huang, C. W. Kuo, C. J. Chang, C. T. Kuo, S. C. Wang, (2010, --). Study of InGaN-GaN Light-Emitting Diodes With Different Last Barrier Thicknesses. *IEEE Photon. Tech. Lett.*, vol. 22, pp. 860-862,. (SCI).
183. M. A. Tsai, P. Yu, C. H. Chiu, Hao-Chung Kuo, T. C. Lu, and S. H. Lin, (2010, --). Self-Assembled Two-Dimensional Surface Structures for Beam Shaping of GaN-Based Vertical-Injection Light-Emitting Diodes. *IEEE Photon. Tech. Lett.*, vol. 22,. (SCI).
184. P. C. Peng, R. L. Lan, F. M. Wu, G. Lin, C. T. Lin, J. Chen, G. R. Lin, S. Chi, Hao-Chung Kuo, J. Y. Chi, (2010, --). Polarization Characteristics of Quantum-Dot Vertical-Cavity Surface-Emitting Laser With Light Injection. *IEEE Photon. Tech. Lett.*, vol. 22, pp. 179-181,. (SCI).
185. P. H. Lin, C. P. Chen, Y. J. Hung, S. S. Hsu, L. Y. Chen, Y. W. Cheng, M. Y. Ke, C. H. Chiu, Hao-Chung Kuo, J. J. Huang, (2010, --). Investigation of Carrier Transient Response of Nanopatterned n-ZnO/a-Si(i)/p(+)-Si Photodiodes. *IEEE Photon. Tech. Lett.*, vol. 22, pp. 1589-1591,. (SCI).
186. S. C. Ling, C. L. Chao, J. R. Chen, P. C. Liu, T. S. Ko, T. C. Lu, Hao-Chung Kuo, S. C. Wang, S. J. Cheng, J. D. Tsay, (2010, --). Crystal quality improvement of a-plane GaN using epitaxial lateral overgrowth on nanorods. *J. Cryst. Growth*, vol. 312, pp. 1316-1320,. (SCI).
187. S. C. Ling, T. C. Lu, S. P. Chang, J. R. Chen, Hao-Chung Kuo, S. C. Wang, (2010, --). Low efficiency droop in blue-green m-plane InGaN/GaN light emitting diodes. *Low efficiency droop in blue-green m-plane InGaN/GaN light emitting diodes*, vol. 96, Art.231101. (SCI).
188. S. P. Chang, H. C. Yang, T. C. Lu, Hao-Chung Kuo, S. C. Wang (2010, --). Influence of LT-GaN nucleation layer on the structural and optical properties of MOVPE-grown a-plane GaN. *J. Cryst. Growth*, , vol. 312, pp. 1307-1310,. (SCI).

189. S. W. Chen, T. C. Lu, Y. J. Hou, T. C. Liu, Hao-Chung Kuo, and S. C. Wang, (2010, --). Lasing characteristics at different band edges in GaN photonic crystal surface emitting lasers. *Appl. Phys. Lett.*, vol. 96, Art. 071108,. (SCI).
190. T. C. Lu, M. Y. Ke, S. C. Yang, Y. W. Cheng, L. Y. Chen, G. J. Lin, Y. H. Lu, J. H. He, Hao-Chung Kuo, J. J. Huang, (2010, --). Characterizations of low-temperature electroluminescence from ZnO nanowire light-emitting arrays on the p-GaN layer. *Opt. Lett.*, vol. 35, pp. 4109-4111. (SCI).
191. T. C. Lu, S. W. Chen, T. T. Wu, P. M. Tu, C. K. Chen, C. H. Chen, Z. Y. Li, Hao-Chung Kuo, S. C. Wang, (2010, --). Continuous wave operation of current injected GaN vertical cavity surface emitting lasers at room temperature. *Appl. Phys. Lett.*, vol. 97, Art.071114,. (SCI).